



TOOLS

BIT SETS

122.2100

BIT AND DRIVE SOCKET SET

- · Ideal set of compilation for plumbing, heating and air conditioning
- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
 Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
 Includes magnetic drive sockets and stud screwdrivers for a damage free inserting borin and unscrewing
- bolts and stud bolts
- Orderly arrangement of the popular 1/4" bits and drive sockets
 Sand blasted
- · Special tool steel
- In durable plastic storage case



31

ncs

MICRO BIT SET

- External hexagon drive and locking ring
- For manual operation · Includes reversing GEARplus® bit ratchet ring spanner
- · Ideally suited for fittings in trade and industry

32

ncs

- · Precise and orderly arrangement of the popular micro-bits · Nickel plated
- · Special tool steel



11

ncs

32

ncs

911.2840

MINI BIT CASE

- · Compact and handy design fits into shirt or trouser pocket
- Ergonomic form for fatigue free working
 Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- Folding bit magazine
 Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremly slim, ideal in confined spaces
- Precise and orderly arrangement of the popular 1/4" bits
 Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
 Bits with external hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Nickel plated bits
- · 4 mm special steel bits
- · Box made from impact resistant plastic









AGAAAA



911.2845 **MINI BIT CASE**

- Compact and handy design fits into shirt or trouser pocket
 Ergonomic form for fatigue free working
- Integrated hexagon drive in the magazine can be used as an auxiliary screwdriver
- · Folding bit magazine
- Includes AUTO SLIMLOCK bitholder with magnet and extension
- Extremly slim, ideal in confined spaces
 Precise and orderly arrangement of the popular 1/4" bits
- Can be used by hand or with an electric screwdriver
 Ideally suited for fittings in trade and industry
- Bits with external hexagon drive to DIN 3126 / ISO 1173 C 6,3 · Nickel plated bits
- · 4 mm special steel bits
- · Box made from impact resistant plastic



1/4" ● PH1 - PH2 - PH3 PZ1 - PZ2 - PZ3 T15 - T20 - T25 - T30







BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Can be used by hand or with an electric screwdriver
 Includes magnetic quick release bit holder and 1/4" socket adapter

1/4"

- Practical belt holder
 Ideally suited for fittings in trade and industry · Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated
- Special tool steel
- · In durable plastic case



- 1/4" 10.0
- 1/4" ● PH1 - PH2 - PH3
- 2 x PZ1 2 x PZ2 2 x PZ3
- ⊖ 5,5 6,5 8 mm
- 4 5 6 mm
- 🕸 2 x TB10 3 x TB15 2 x TB20
- 3 x TB25 3 x TB30 2 x TB40

918.4520

CHROMEplus® BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Can be used by hand or with an electric screwdriver
- Includes reversing GEARplus® bit ratchet ring spanner and 1/4" socket adaptor
 Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
- Chrome plated

11

ocs

- Special tool steel
- Includes mirror polished chrome box

🕸 TB10 - TB15 - TB20 - TB25 - TB30 - TB40





8⁶⁰⁽¹⁾

20

pcs

(SJOOLS)

MK



911.2070

· Nickel plated

Special tool steel

CHROME DIUS® BIT SET

Includes mirror polished chrome box

• External hexagon drive to DIN 3126 / ISO 1173 - C 6,3

• Precise and orderly arrangement of the popular 1/4" bits

Can be used by hand or with an electric screwdriver
 Includes magnetic quick release bit holder and 1/4" socket adapter
 Ideally suited for fittings in trade and industry

BIT SETS

918.4500

30

ncs

CHROME DIUS® BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Can be used by hand or with an electric screwdriver
 Includes CHROMEplus® mini bit reversing ratchet and 1/4" socket adaptor
 Ideally suited for fittings in trade and industry

31

ncs

- Precise and orderly arrangement of the popular 1/4" bits
- Chrome plated

1/4"

Special tool steel

723

Includes mirror polished chrome box



2	1/4" x 1/4" 1/4" 1/4"	
	 ○ PH1 - PH2 - PH3 ○ PZ1 - PZ2 - PZ3 	Mirror polished

- 1/4" Mirror polished PH1 - 2 x PH2 - PH3 • PZ1 - 2 x PZ2 - PZ3 € 4,5 - 5,5 - 6,5 mm • 4 - 5 - 6 mm 90 TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40
- O T10 T15 T20 T25 T27 T30 T40

918.4600

1/4"

CHROMEplus® BIT SET

- Can be used by hand or with an electric screwdriver
 Ideally suited for fittings in trade and industry
- Precise arrangement of the popular 1/4" bits
 Exact gearing with 72 teeth
- Offset angle 5°
- Matt finish
- Chrome vanadium In high quality chrome box

1/4"



PH1 - 2 x PH2 - PH3 PZ1 - 2 x PZ2 - PZ3

- 🗢 4,5 5,5 6,5 mm
- 🗢 4 5 6 mm
- TB10 TB15 TB20 TB25 TB27 TB30 TB40 T10 - T15 - T20 - T25 - T27 - T30 - T40







911.2029

🗢 4,5 - 5,5 - 6,5 mm

○ 4 - 5 - 6 mm

BIT SET

31

DCS

D 1/4"

1/4"

1/4"

100 mm

External hexagon drive to DIN 3126 / ISO 1173 - C 6.3

TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 O T10 - T15 - T20 - T25 - T27 - T30 - T40

- Can be used by hand or with an electric screwdriver Includes guick release screwdriver bits and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" security bits
- Nickel plated
- · Special tool steel
- · In durable steel storage case



1/4" 🅸 TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 O 2 - 2,5 - 3 - 4 - 5 - 6 mm 🕙 4 - 6 - 8 - 10 mm 🕀 4 - 6 - 8 - 10 mm ⊕ 6 - 8 - 10 mm O 1/4"

1/4"



52⁵⁰

22



99

ncs

911.3120

TORX PLUS BIT SET

- · Ideal set compilation for Torx and Torx PLUS screws
- With external hexagon drive to DIN 3126 / ISO 1173 Form C 6,3 and C 8
 Can be used by hand or with an electric screwdriver
- · Ideally suited for fittings in trade and industry
- · Reinforced execution
- Nickel plated
- Special tool steel

1/4" 10 mm


· In durable plastic storage case

Applications for TX PLUS: flywheel / timing belt housing cover / general engine / transmission

Applications for Tamper TX:

plug-in pumps of pump-line-nozzle systems, air mass meters, EWS3 immobiliser controller / injection pumps / alternators etc.

line.





- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Can be used by hand or with an electric screwdriver
 Includes bit holder, bit ratchet, 1/4" socket adaptor and 1/4" mini-bit-screwdriver
- · Ideally suited for fittings in trade and industry
- · Precise and orderly arrangement of the popular 1/4" bits Sand-blasted
- Special tool steel

1/4

- In durable plastic storage case
- \ominus 3 4 4,5 5 5,5 6 6,5 7 8 mm
- PH0 PH1 5 x PH2 PH3
- PZ0 PZ1 5 x PZ2 PZ3
- 1,5 2 2,5 3 4 5 5,5 6 8 mm
- 5/64" 7/64" 9/64" 3/32" 5/32" -7/32" - 3/16" - 1/16" - 1/8" - 1/4"
- O 2 2,5 3 4 5 6 mm
- O 5/64" 7/64" 9/64" 3/32" 1/8" 5/32"
- T8 T10 T15 T20 T25 T27 T30 T40 T45
- TB8 TB10 TB15 TB20 TB25 TB27 -
- TB30 TB35 TB40

911.2085

BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 C 6.3
- Can be used by hand or with an electric screwdriver
- Includes bit holder, 1/4" socket adaptor and 1/4" bit screwdriver Ideally suited for fittings in trade and industry
- Precise and orderly arrangement of the popular 1/4" bits
 Sand blasted
- · Special tool steel In durable plastic storage case









911.2026

BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 C 6.3 · Can be used by hand or with an electric screwdriver
- Includes bitholder and 1/4" socket adapter

1/4": IP10 - IP15 - IP20 - IP25 - IP30

🖲 10 mm: IP40 - IP45 - IP50 - IP55 - IP60

@ 1/4": TS10 - TS15 - TS20 - TS25 - TS30

🕲 10 mm: TS40 - TS45 - TS50 - TS55 - TS60

- · Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits · Sand blasted
- · Special tool steel
- · In durable plastic storage case



⊖ 3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm ● PH0 - PH1 - 5 x PH2 - PH3 ● PZ0 - PZ1 - 5 x PZ2 - PZ3 1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm 1/16" - 5/64" - 3/32" - 7/64" - 1/8" -9/64" - 5/32" - 3/16" - 7/32" - 1/4" © 2 - 2,5 - 3 - 4 - 5 - 6 mm © 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" 🏶 T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 🕸 TB8 - TB10 - TB15 - TB20 - TB25 - TB27 -TB30 - TB35 - TB40 M5 - M6 - M8 🕙 #1 - #2 - #3 - #4 😔 4 - 6 - 8 - 10 mm

+ 6 - 8 - 10 mm

#0 - #1 - #2 - #3

O 1/4"

- \ominus 3 4 4,5 5 5,5 6 6,5 7 8 mm
- PH0 PH00 PH1 PH2 PH3
- PZ0 PZ00 PZ1 PZ2 PZ3
- 1,5 2 2,5 3 4 5 5,5 6 8 mm
- 1/16" 5/64" 3/32" 7/64" 1/8" -
- 9/64" 5/32" 3/16" 7/32" 1/4"
- Q 2 2,5 3 4 5 6 8 mm
- 🏶 T5 T6 T7- T8 T9 T10 T15 T20 -T25 - T27 - T30 - T40 - T45
- TB8 TB10 TB15 TB20 TB25 TB27 -TB30 - TB35 - TB40
- M5 M6 M8
- 🕙 4 6 8 10 mm
- 😔 4 6 8 10 mm
- 🟵 6 8 10 mm
- O #0 #1 #2 #3
- TS10 TS15 TS20 TS25 TS27 TS30 -TS40 - TS45 - TS50

5



50

39,50 (



911.2027

BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Can be used by hand or with an electric screwdriver
 Includes bitholder and 1/4" socket adapter
- · Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
- Sand blasted
- Special tool steel In durable plastic storage case
- 1/4"

99 DCS

2490₀

113

1/4" O 1/4" \ominus 3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm ● PH0 - PH1 - 2 x PH2 - PH3 PZ0 - PZ1 - 2 x PZ2 - PZ3 1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm O 2 - 2,5 - 3 - 4 - 5 - 6 mm O 5/64" - 3/32" - 7/64" -1/8" - 9/64" - 5/32" T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 🕸 TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40 ● TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40 #1 - #2 - #3 🕙 #1 - #2 - #3 - #4 🕀 4 - 6 - 8 - 10 mm 🟵 6 - 8 - 10 mm

#0 - #1 - #2 - #3 © 4 - 5 - 6 mm 🏵 TB15 - TB20 - TB30 🕙 #1 - #2 - #3 - #4

- 4 - 6 - 8 - 10 mm

🟵 6 - 8 - 10 mm



911.2031

BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 C 6.3
- · Can be used by hand or with an electric screwdriver
- Includes quick release bit holder
 Ideally suited for fittings in trade and industry
- Orderly arrangement of the popular 1/4" bits
 Sand blasted
- Special tool steel
- · In durable plastic storage case



1/4" **1/4**" ● PH2 • PZ2 🏶 T10 - T15 - 3 x T20 - T25 - T30 🕸 TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 ⊖ 7 x 4 - 7 x 6 mm • 7 x PH1 - 7 x PH2 - 7 x PH3 T x PZ1 - 7 x PZ2 - 7 x PZ3 7 x 4 - 7 x 5 - 7 x 6 mm 2 x T10 - 2 x T15 - 2 x T20 - 2 x T25 - 2 x T27 - 2 x T30 - 2 x T40 TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40









911.7550

BIT SET

1/4"

- External hexagon drive to DIN 3126 / ISO 1173 E 6,3
- Can be used by hand or with an electric screwdriver
- Ideally suited for fittings in trade and industry
 Orderly arrangement of the popular 1/4" bits
- Nickel plated
- Nickel platedSpecial tool steel
- In durable plastic storage case



911.7532 BIT SET

- External hexagon drive to DIN 3126 / ISO 1173 E 6,3
- Can be used by hand or with an electric screwdriver
 Ideally suited for fittings in trade and industry
- Ideally suited for fittings in trade and industry
 Orderly arrangement of the popular 1/4" security bits
- Nickel plated
- Special tool steel

. 1/4''

In durable plastic storage case



⊖ 6 mm
♥ PH1 - PH2
♥ PZ1 - PZ2 - PZ3
♥ 2 - 2,5 - 3 - 4 - 5 - 6 mm
♥ TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40
♥ #1 - #2 - #3 - #4
⊖ 4 - 6 - 8 - 10 mm
⊕ 6 - 8 - 10 mm



→ 4 - 5 - 6 - 7 mm
◆ 1 x PH1 - 3 x PH2 - 2 x PH3
◆ 2 x PZ1 - 4 x PZ2 - 3 x PZ3
◆ 2 - 2,5 - 3 - 4 - 5 - 6 mm
◆ T10 - T15 - T20 - T25 - T27 - T30 - T40



32

ncs





RIBE® BIT SET

- Ideal set compilation for RIBE® screws
- External hexagon drive to DIN 3126 / ISO 1173 form C 8
 Can be used by hand, electric screwdriver and impact drivers
- · Ideally suited for fittings in trade and industry
- · Reinforced execution
- Precise arrangement of the popular 5/16" RIBE® bits
- Phosphate finish
- Special tool steel
- In durable plastic storage case





M5 - M6 - M7 - M8 - M10 - M12

M7 - M8 - M9 - M10 - M12 - M13 - M14



BIT SET

• Ideal set compilation for Torx screws

- 10 mm external hexagon
 Can be used by hand, electric screwdriver and impact drivers
- Includes 1/2" socket adapter for 10 mm bits
- · Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 10 mm Torx bits
 Sand-blasted

10 mm

- · Special tool steel
- · In durable steel storage case



911.5030 BIT SET

- · Ideal set for spline screws
- 10 mm external hexagon
 Can be used by hand, electric screwdriver and impact drivers
- Includes 1/2" socket adapter for 10 mm bits

11/1

- · Ideally suited for fittings in trade and industry
- Sand-blasted
- Special tool steel In durable plastic storage case



1/2" x 10 mm

- T20 T25 T30 T40 T45 T50 T55
- T20 T25 T30 T40 T45 T50 T55

911.5040

BIT SET

- · Ideal set compilation for hexagon socket screws
- 10 mm external hexagon
 Can be used by hand, electric screwdriver and impact drivers
- Includes 1/2" socket adapter for 10 mm bits
- Ideally suited for fittings in trade and industry
- Reinforced execution
- · Precise arrangement of the popular 10 mm hexagon socket bits
- Sand-blasted
- · Special tool steel

10 mm

In durable steel storage case

1/2" x 10 mm

• 4 - 5 - 6 - 7 - 8 - 10 - 12 mm



27,90

15

ocs

911.4304

1/2" x 10 mm

M5 - M6 - M8 - M10 - M12

M5 - M6 - M8 - M10 - M12

BIT SET

- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
 Includes 3/8" + 1/2" socket adapter for 10 mm bits
- · Ideally suited for fittings in trade and industry
- Reinforced execution
- Precise arrangement of the popular 10 mm bits
 Sand-blasted
- Special tool steel · In durable steel storage case
- 10 mm

3/8" x 1/2"

- 4 5 6 7 8 10 12 mm
- T20 T25 T30 T40 T45 T50 T55 T60
- M5 M6 M8 M10 M12
- ⊖ 8 10 mm
- PH2 PH3
- 🖲 5 6 8 10 mm T20 - T25 - T30 - T40 - T45 - T50 T55 - T60
- M6 M8 M10 M12



14

3450₍

21,50

42

DCS

11

4 - 5 - 6 - 7 - 8 - 10 - 12 mm



57

ncs



37

ncs

911.4305

- TORX SOCKET AND BIT SET
- Matt finish
- Chrome vanadium · In durable plastic storage case



911.4310

BIT SET

- 10 mm external hexagon
- Can be used by hand, electric screwdriver and impact drivers
 Includes 10 mm reversing ratchet
- · Ideally suited for fittings in trade and industry
- · Reinforced execution Rrecise arrangement of the popular 10 mm bits and sockets
- Sand-blasted
- Special tool steel
- · In durable ABS storage case



3/8" x 10 mm 1/2" x 1/4"

- O 1/4": E4 E5 E6 E7 E8 3/8": E10 - E11 - E12 - E14 1/2": E16 - E18 - E20
- 4 5 6 7 8 10 12 mm 🕸 TB20 - TB25 - TB27 - TB30 - TB40 - TB45 -
- TB50 TB55 TB60
- M5 M6 M8 M10 M12
- 🕀 8 10 mm
- PH2 PH3
- 🖲 5 6 7 8 10 mm
- T20 T25 T27 T30 T40 T45 T50 T55 T60
- M6 M8 M10 M12

515.1003

HAND IMPACT SCREWDRIVER SET

- Reversible
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 1/4 Revolution of the impact screwdriver through hammer blow (Parable mechanism) · Optimal feed rate
- No slippage of the blade bit possible · Ideal for loosening jammed screw connections
- · Ideally suited for the automotive area
- · Includes the most current impact bits, impact bit adaptor
- Special tool steel
- · In durable plastic storage case





CHAPTER IN

57,90 a

ncs

- 🖲 5 6 7 8 10 12 mm
- TB20 TB25 TB27 TB30 TB40 TB45 TB50 TB55
- M5 M6 M8 M10 M12

10 mm

- PH2 PH3
- T20 T25 T27 T30 T40 T45 T50 T55
- M6 M8 M10 M12

515.1000

HAND IMPACT SCREWDRIVER SET


- · Reversible
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 1/4 Revolution of the impact screwdriver through hammer blow (Parable mechanism)
- · Optimal feed rate
- No slippage of the blade bit possible
 Ideal for loosening jammed screw connections
 Ideally suited for the automotive area
- · Includes the most current impact bits, impact bit adaptor
- Special tool steel
- · In durable plastic storage case



82,50

18

ncs



1/2" 1/2" x 5/16" ⊖ 5 - 6 - 8 - 10 - 12 - 14 mm ● PH1 - PH2 - PH3

66⁵⁰ (



PREMIUM-WERKZEUGE





TORSIONpower BIT-BOX

- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Can be used by hand or with an electric screwdriver
- Color coding
 Includes magnetic quick release bit holder and 1/4" socket adapter
- Ideally suited for fittings in trade and industry
 Precise and orderly arrangement of the popular 1/4" bits
- Nickel plated · Special tool steel

1/4"

Includes durable two component storage case





— 1/4" -**1/4**" 🕀 4 - 5 - 6 - 7 mm ● PH1 - 2 x PH2 - PH3 PZ1 - 2 x PZ2 - PZ3 3 - 4 - 5 - 6 mm T10 - T15 - T20 - T25 - T27 - T30 - T40 🕸 T10 - T15 - T20 - T25 - T27 - T30 - T40

TOOLS

32 pcs







918.3015

TORSIONpower BIT-BOX

- External hexagon drive to DIN 3126 / ISO 1173 C 6,3
- Can be used by hand or with an electric screwdriver
 Colour-coded bits

- Reversible
 180° revolving head
 The extension can also be used as a T-handle
- Fine gearing 72 teeth ratchet mechanism
 Ideally suited for fittings in trade and industry
- Precise and notating in trace and motion of the popular 1/4" bits
 With extension and 1/4" plug-in adapter
 Extremely flat construction form
 Matt finished
 Chrome vanadium
 Healvies duryth have accomposed tatarage cose

- · Includes durable two component storage case

1/4"

1/4" 100 mm 9 7 . 1/4"

• PZ1 - PZ2 - PZ3 🗢 4 - 5 mm ● 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 mm 🐵 T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

PH1 - PH2 - PH3

Π









Your Local Distributor



KS Tools Werkzeuge - Maschinen GmbH Seligenstädter Grund 10 - 12 D-63150 Heusenstamm GERMANY Tel.: +49(0) 61 04 49 74-0 +49(0) 61 04 49 74-11 Fax:

aftersales@kstools.com e-mail: www.kstools.com



*This is an limited special price offer - only until stocks last.

All prices are ex. VAT. With the release of this leaflet all previous prices became invalid. Sold only in specialist stores. Print mistakes, errors and technical alterations excepted. Prices valid up to 30.09.2024







